



MOC Optomedic, Inc.

An affiliate of Mandarin Opto-Medic Co., Pte. Ltd. (Singapore)

Unit 209-210 Richmack Bldg., 72 Mindanao Ave., Project 6, Quezon City, Metro Manila 1100 Philippines

Telephone numbers: +63917-7067963, +632-8710-3639/8710-3652 Fax number +632-7903-5124

PRODUCT LIST			
ITEM	BRAND	MODEL NUMBER	DESCRIPTION
CLINIC EQUIPMENTS			
SLIT LAMP			
	Visionix (formerly Righton (Japan))	MW50D	Imaging 5 step drum type haagstreit design slit lamp with halogen color LED lightsource and MagWide magnification design (5x to 50x). Equipped with background illumination for better imaging of surrounding adnexa.
	Visionix (formerly Righton (Japan))	MW50	5 step drum type haagstreit design slit lamp with halogen color LED lightsource and MagWide magnification design (5x to 50x)
	Sun Kingdom (China)	LS-1B	Handheld Slitlamp 10x / 10x, 16x
	Sun Kingdom (China)	LS-3	Sunkingdom drum type 3 Step (10, 16, 25x) magnification, haagstreit design Slit lamp with halogen bulb
	Sun Kingdom (China)	LS-4	Sunkingdom 5 Step (6, 10, 16, 25, 40x) magnification haagstreit design Slit lamp with 12V30W halogen bulb
	Sun Kingdom (China)	LS-5	Sunkingdom 5 Step (6, 10, 16, 25, 40x) magnification haagstreit design Slit lamp with 12V50W halogen bulb and coaxial DSLR camera
	Sun Kingdom (China)	LS-5C	LS-5C is a Digital slit lamp with Multifunctional Image Collector with a magnification of 6, 10, 16, 25, 40x. A Galileo type optical design, revolving drum magnification changer and 12.5x eyepiece.
	Sun Kingdom (China)	LS-7 (non-digital)	Sunkingdom 5 Step (6.3, 10, 16, 25, 40x) magnification haagstreit design Slit lamp with 12V10W LED bulb
	Sun Kingdom (China)	LS-7DS	Sunkingdom 5 Step (6.3, 10, 16, 25, 40x) magnification haagstreit design Slit lamp with 12V10W LED bulb, Real - time recording and display video functions. (No CCD Camera & PC included)
	Sun Kingdom (China)	LS-9 non digital	Optics is similar to CSO Slitlamp, improve 20% vs LS\$ with yellow filter
	Sun Kingdom (China)	LS-9 Digital	Optics is similar to CSO Slitlamp, improve 20% vs LS\$ with yellow filter, real time recording system not including camera and PC
	Remidio (India)	PSL	Remidio imaging portable slitlamp
APPLANATION TONOMETER			
	Haagstreit GmbH (Germany)	AT-900 (7200032)	Haagstreit applanation tonometer AT 900 model T (table type)
	Haagstreit GmbH (Germany)	VAB00215	Guide Plate Ton for MW50/AT900 Model T
	Haagstreit GmbH (Germany)	AT-900 (7200033)	Applanation Tonometer AT 900 model R for BM (hanging type)
	Haagstreit GmbH (Germany)	RT/RAB00218	Righton Tonometer Mount/Adapter
	Sunkingdom (China)	SK-R	Sunkingdom applanation tonometer is a digital and mechanical reading in one machine, with auto-sleep and over limit alarm. It can also be left permanently in the slitlamp (hanging type R).



MOC Optomedic, Inc.

An affiliate of Mandarin Opto-Medic Co., Pte. Ltd. (Singapore)

Unit 209-210 Richmack Bldg., 72 Mindanao Ave., Project 6, Quezon City, Metro Manila 1100 Philippines

Telephone numbers: +63917-7067963, +632-8710-3639/8710-3652 Fax number +632-7903-5124

PRODUCT LIST			
ITEM	BRAND	MODEL NUMBER	DESCRIPTION
	Sunkingdom (China)	SK-T	Sunkingdom applanation tonometer is a digital and mechanical reading in one machine, with auto-sleep and over limit alarm. It can be moved between two positions on the guide plate for observation through right or left eyepiece. (hanging type).
	Sunkingdom (China)	SK-Q	Sunkingdom applanation tonometer is a digital and mechanical reading in one machine, with auto-sleep and over limit alarm. It is especially design for the LS-7 Series (hanging type).
DIAGNOSTIC SET			
	Nietz (Japan)	IO-α LED (+IO-BP3)	Binocular Indirect Ophthalmoscope IO- α set (LED Model) Rechargeable Battery Pack
	Nietz (Japan)	BXa13LED	Direct Ophthalmoscope with high color-rendering LED with boost mode for more brightness.
	Nietz (Japan)	BXa-13	Direct Halogen Ophthalmoscope used with C cell battery handle.
	Nietz (Japan)	BXa-13A	Direct Halogen Ophthalmoscope used with AA cell battery handle.
	Nietz (Japan)	BXa-RC	Direct Halogen Ophthalmoscope used with rechargeable battery and the brightness is twice as great as the battery operated model. With Dual Desk Charger RC-II
	Neitz (Japan)	BXa-134FO	Halogen Ophthalmo-Otoscope diagnostic set, used for diagnosis of eye, ear and nose with C cell battery handle and 2.5 & 4mm (disposable) otoscope specula.
	Neitz (Japan)	BXa-12345FO	Halogen diagnostic set used for eye, ear, nose and throat. with C cell battery handle, laryngoscope and 2.5 & 4mm (disposable) otoscope specula.
	Neitz (Japan)	a-34FO	Fiber Otoscope used for diagnosis of ear and nose with 2.5 & 4mm (disposable) otoscope specula with C cell battery handle.
	Neitz (Japan)	BXa-13-RX	Ophthalmoscope and Retinoscope set, w/ C cell battery handle.
	Neitz (Japan)	BXa-13A-RX	Ophthalmoscope and Retinoscope set, w/ AA battery handle.
			Additional Rechargeable Battery Handle
EYE CHARTS			
	Everview (Korea)	Lucid LC	Everview 24" LCD eye chart
	Optron (India)	SH200	Optron LED Visual Acuity Test Chart, 22 inches, with USB & HDMI
	Huvitz (Korea)	CDC7000D	Charops dream chart projector
	Supore (China)	ACP-7	Supore ACP-7 is an auto chart projector adopting the latest national liquid crystal eye chart standard containing 31 international visual targets including the "E" letters, "C" letters and figures. A stable operation and easy to operate.
	Optron (China)	ACP-800	Optron Auto Chart Projector c/w remote controller, with HD Lens design, 33 chart controllable by mobile phone.
	Supore (China)	ACP-100	Supore liquid crystal eye space saving chart for 1.1m test distance
	Optron (China)	SSC-800	Optron Space Saving Chart, testing distance e 1.10m and 0.60m with table controller.



MOC Optomedic, Inc.

An affiliate of Mandarin Opto-Medic Co., Pte. Ltd. (Singapore)

Unit 209-210 Richmack Bldg., 72 Mindanao Ave., Project 6, Quezon City, Metro Manila 1100 Philippines

Telephone numbers: +63917-7067963, +632-8710-3639/8710-3652 Fax number +632-7903-5124

PRODUCT LIST			
ITEM	BRAND	MODEL NUMBER	DESCRIPTION
		Chart Stand	Chart Stand
COLOR BLIND CHARTS			
	TMI		38 plates Ishihara Color blind chart
	TMI		24 plates Ishihara Color blind test
		7190035	Farnsworth D-15 color test plate w/ case
PD METER			
	Huvitz	HX-400	Digital PD Meter with LED Light source
	Supore (China)	PD-6A	Digital PD Meter with LED Light source
MOTORIZED TABLE			
	Shitong (China)	OT36	Shitong motorized table, 56x38 cm.
	Shitong (China)	OT36.L	Shitong motorized table, 86x43 cm.
	Shitong (China)	OT36.B	Shitong motorized twin table w/ CPU holder.
PHOROPTOR CHAIR and STAND			
	Shitong (China)	AST-60	Shitong combined refracting system w/ Phorofter Arm and Ophthalmic Chair
	Shitong (China)	AST-60A	Combined optometry system w/ automated phorofter arm and ophthalmic chair CR-160D
	Shitong (China)	AOS-600	Optometry System w/o Exam Chair
	Shitong (China)	AOS-600L	Optometry System (Left Version) w/o Exam Chair
	Shitong (China)	SHI/CR-160	Electrically Propelled Chair w/ Footswitch
	Shitong (China)	SHI/CR-160D	Shitong ophthalmic phorofter chair w/ foot rest and foot switch
	Supore (China)	CS-218	Supore motorized 90deg swing type 101x58.1cm phorofter table w/AR tray, robotic stand and trial lens set drawer
	Supore (China)	CS-300	
	Supore (China)	CS-518	Supore phorofter system w/ chair and stand with manual lifting arm and 90 degree swing type 86x51cm table
	Supore (China)	CS-600	Supore phorofter system w/ motorized chair and electric lifting arm with 90 degree swing type 101x48 table w/AR tray & trial lens set drawer
	Supore (China)	CS-700	Supore Brilliant phorofter system w/ motorized chair with electric lifting arm and 90 degree swingtype 101x48 table w/AR tray & trial lens set drawer
	Optron (China)	T-218	Optron motorized 90deg swing type 101x58.1cm phorofter table w/AR tray, robotic stand and trial lens set drawer
	Optron (China)	T-418	Mini Refraction Stand w/ Phorofter Arm (w/o exam chair)
	Optron (China)	CS-800/Single	Optron Refraction Unit c/w motorized Patient Exam Chair with footrest, auto-phorofter arm, CP support, sliding tray for equipment, control panel for light
	Optron (China)	CS-800/dbl	Optron Refraction Unit c/w motorized Patient Exam Chair with footrest, auto-phorofter arm, CP support, 2x sliding table for equipment, control panel for light
	Optron (China)	ACP-1000/VT-800	Space saving refraction system c/w Chart as follows: Number, Letter, E Chart, C Chart, Symbol, Function Chart. Refraction distance: 0.2M, Masking: Single letter, Horizontal and Vertical Line. Complete with Digital View Tester



MOC Optomedic, Inc.

An affiliate of Mandarin Opto-Medic Co., Pte. Ltd. (Singapore)

Unit 209-210 Richmack Bldg., 72 Mindanao Ave., Project 6, Quezon City, Metro Manila 1100 Philippines

Telephone numbers: +63917-7067963, +632-8710-3639/8710-3652 Fax number +632-7903-5124

PRODUCT LIST			
ITEM	BRAND	MODEL NUMBER	DESCRIPTION
	NeoTech Med. (India)	GE-2000	Medivision GE-2000 a general examination chair, fully flexible, rotating and a recliner chair. An arm rest with swing-up movement, adjustable foot-rest which can be fully raised to sleeping position.
	Essilor (France)	Vision S-700	Vision S-700 immersive refraction station is an ultra compact device with a unique immersive experience.
PHOROPTOR HEAD			
	Supore (China)	VT-8	Supore manual phoroptor head
	Supore (China)	VT-100	Supore automatic digital refractor
	Supore (China)	VT-700	Supore automatic digital refractor with 9.7 inches touch screen remote control panel
	Optron (China)	VT-800	VT-800 is a digital view tester with 9.7 inches LCD screen and a 180 degrees reversible screen
	Optron (China)	P-8	Optron automatic digital refractor head is a conventional refractor and easy to master with the highest accuracy.
TRIAL LENS SET			
	Medivision	M-260MT	Medivision large series Trial Lens Set, +/- 20.0D, metal rim
		M-260P	Medivision Large series Trial lens set, 20.0D, plastic rim
	Danyang Xingda Optical Instrument	SL-266A1	Danyang 266 pcs. 20.0D. trial lens set with plastic rim
	Danyang Xingda Optical Instrument	DAN/JS-260B1	Danyang Trial Lens Set 20.0D (Metal Rim 260) w/ Case
	Danyang Xingda Optical Instrument	DAN/SL-260A1	Danyang Trial Lens Set 20.0D (Plastic Rim 260) w/ Case
	Hasegawa Bicoh (Japan)	580 UniV-Pro	Hasegawa Bicoh universal trial frame, titanium
	Hasegawa Bicoh (Japan)	NSH/MC674	Bicoh universal trial frame 674, (PD 54-74), with movable temple tip titanium
			Bicoh Fixed PD Trial Frame
LENSMETER			
	Supore (China)	LM-700	Supore automatic lensmeter with built-in printer and PD meter
	Supore (China)	LM-800	Supore Honor automatic lensmeter w/ touchscreen LCD userfriendly interface, UV/Bluelight measurement & focal distribution topography, PD meter and built-in printer.
	Optron (China)	OPT/LM-700	Optron automatic lensmeter is high speed CUP, that can measure any kind of lens instantly. A 5.6" Colorful Touch LCD Screen with built in thermal printer.
	Optron (China)	OPT/L-800	Optron automatic lensmeter, with Blue Light Transmittance Detection, automatic Right & Left lens recognition and built-in printer.
AUTO-REFRACTOMETER/ KERATOMETER			



MOC Optomedic, Inc.

An affiliate of Mandarin Opto-Medic Co., Pte. Ltd. (Singapore)

Unit 209-210 Richmack Bldg., 72 Mindanao Ave., Project 6, Quezon City, Metro Manila 1100 Philippines

Telephone numbers: +63917-7067963, +632-8710-3639/8710-3652 Fax number +632-7903-5124

PRODUCT LIST

ITEM	BRAND	MODEL NUMBER	DESCRIPTION
	Righton (Japan)	Speedy-K2	An autorefractometer and keratometer system with fast measurement capability at 125 ms/7 times, 260 ms/1 time reading. It has an A2 fogging method for patients with unstable refraction. It also has unique fixation system that changes target illumination for extreme pupil sizes, a fireworks picture charts that allows astigmatic patients to focus on various meridian. Speedy K2 also has added features like pupilometer, corneal diameter measurement and Retro-illumination to detect ocular opacities such as cataract.
	Righton (Japan)	Retinomax Screen	RIGHTON Retinomax handheld auto-refractometer system with LCD screen has 2.5 mm pupil diameter for increased accuracy, super quick mode that allows reading at 0.07 second without compromising accuracy, wireless data transfer for printing purposes. It also has retro-illumination for detection of cataract and other eye abnormalities.
	Righton (Japan)	Retinomax K+Screen	Righton Handheld auto-refractometer/keratometer system with LCD Screen, has 2.5 mm pupil diameter for increased accuracy, super quick mode that allows reading at 0.07 second without compromising accuracy, wireless data transfer for printing purposes, anti-theft mode with password. It also has retro-illumination for detection of cataract and other eye abnormalities.
			Carrying case Retinomax Screen/5 (Hard)
			Retinomax Battery 5
	Optron (China)	RMK-300	Supore RMK-300 is an auto-refractometer/keratometer that adopts the advanced Hartmann wavefront sensing technology with up to 108 measurement points to achieved the more accurate and more stable result. It also adopts a large high-resolution full-color touch screen with 8 inch of TFT monitors and automatic printer.
	Supore (China)	RMK-700	Supore auto-refractometer and keratometer
	Optron (China)	RMK-800	RMK-800 auto-refractometer and keratometer that measuring left/right eye automatically, no need for manual switch. All operation can be done on the touch screen and can be rotated to any direction. Operation is more fast and convenient.
	Optron (China)	AR-300	Optron AR-300 an auto-refractometer with the most advanced Rotary prism technique of a graph edition, make the graph measured quickly and cleared. The precedent optical technique, consistent measurement and accurate figure.
	Optron (China)	ARK-300	Optron auto-refractometer and keratometer is a combine measurement to diopter and corneal curvature with 5.7" TFT color LCD screen.
	Optron (China)	ARK-500	Optron auto-refractometer and keratometer, with touch screen directional control panel, auto eye tracking system and a 360 degree turning screen.
	Remidio (India)	InstaRef R20	Remidio Portable Auto-Refractometer
	PlenOptika USA	QS 1.0-B	PlenOptika QuickSee wavefront portable auto-refractor, Binocular
	PlenOptika USA	QS 1.0-M	PlenOptika QuickSee wavefront portable auto-refractor, Monocular



MOC Optomedic, Inc.

An affiliate of Mandarin Opto-Medic Co., Pte. Ltd. (Singapore)

Unit 209-210 Richmack Bldg., 72 Mindanao Ave., Project 6, Quezon City, Metro Manila 1100 Philippines

Telephone numbers: +63917-7067963, +632-8710-3639/8710-3652 Fax number +632-7903-5124

PRODUCT LIST			
ITEM	BRAND	MODEL NUMBER	DESCRIPTION
DIAGNOSTIC EQUIPMENTS & LASERS			
OCT - Anterior/Posterior			
	Optopol (Poland)	Revo NX 130	Optopol Revo NX spectral domain anterior and posterior OCT with 110,000 Ascan/sec. scanning speed and provision for Angiography, Biometry and Topography modules.
	Optopol (Poland)	Revo FC 130	Optopol Revo FC130 spectral domain anterior - posterior OCT and Fundus Camera with 130,000 Ascan/sec. scanning speed with provision for Angiography, Biometry and Topography modules.
	Optopol (Poland)	Revo FC	Optopol Revo FC spectral domain anterior - posterior OCT and Fundus Camera with 80,000 Ascan/sec. scanning speed with provision for Angiography, Biometry and Topography modules.
	Optopol (Poland)	Revo Copernicus 80k	Optopol Copernicus Revo spectral domain anterior and posterior OCT with 80,000 Ascan/sec. scanning speed and provision for Angiography, Biometry and Topography modules.
	Optopol (Poland)	Revo Copernicus 60k	Optopol Copernicus Revo spectral domain anterior and posterior OCT with 60,000 Ascan/sec. scanning speed and provision for Angiography, Biometry and Topography modules.
Optional Modules for Spectral Optical Coherent Tomographers	Optopol (Poland)	Angio Module	Angio Model
	Optopol (Poland)	Biometry Module	BIOMETRY module (without IOL calculators, without calibration tool)
	Optopol (Poland)	Topography Module	TOPOGRAPHY module (without calibration tool)
Optional Modules for Spectral Optical Coherent Tomographers	Optopol (Poland)	Angio Module	Angio Model
	Optopol (Poland)	Biometry Module	BIOMETRY module (without IOL calculators, without calibration tool)
	Optopol (Poland)	Topography Module	TOPOGRAPHY module (without calibration tool)
	Optopol (Poland)	Revo Copernicus 27k	Optopol Copernicus Revo spectral domain anterior and posterior OCT with 27,000 Ascan/sec. scanning speed (No upgrades provision)
Optional Modules for Spectral Optical Coherent		IOL_CALC	IOL calculators module (active biometry module required)
		190-4500	Calibration tool for TOPOGRAPHY module (new type)
		190-4550	Calibration tool for BIOMETRY/TOPOGRAPHY module (new type)
	HP Elite One	AIO-SSD	HP Elite One all in one computer, 800 series (For Revo Copernicus & Revo FC/NX)
		STM-5	Optopol Motorized Table
			* OCTA, TOPO, BIOMETRY MODULE UPGRADES PURCHASE SEPARATELY PLS SEE OPTOPOL DIFFERENT PRICE LIST
A-Scan Biometry Machine and Pachimeter			
	Sunkingdom	SK-2000A	Sunkingdom AScan biometry machine
	Sunkingdom	SK-2000P	
	Sunkingdom	SK-2000A-P	Sunkingdom AScan biometry machine with pachimetry
	Meda (China)	MD-1000A	Meda AScan biometry machine
	Meda (China)	MD-1000AP	Meda AScan biometry machine w/ pachymetry
	Meda (China)		Immersion shell set (3 shells/set)



MOC Optomedic, Inc.

An affiliate of Mandarin Opto-Medic Co., Pte. Ltd. (Singapore)

Unit 209-210 Richmack Bldg., 72 Mindanao Ave., Project 6, Quezon City, Metro Manila 1100 Philippines

Telephone numbers: +63917-7067963, +632-8710-3639/8710-3652 Fax number +632-7903-5124

PRODUCT LIST			
ITEM	BRAND	MODEL NUMBER	DESCRIPTION
B-Scan			
	Sunkingdom (China)	SK-3000A	Sunkingdom B-Scan ultrasound machine with 6 measuring mode. B-probe only
	Sunkingdom (China)	SK-3000AB	Sunkingdom AB-Scan ultrasound machine with 6 measuring mode with built-in IOL formula.
	Sunkingdom (China)	SK-3000AB-P	Sunkingdom AB-Scan ultrasound machine with 6 measuring mode with built-in IOL formula and pachymetry.
Optical Biometer			
	Haag-Streit GmbH (Germany)	HS/7221015	H Streit Lenstar Myopia APS Including AMMC
ND Yag Laser			
	Meridian (Switzerland)	780000	Meridian MRQ ND:YAG Laser w/ slit lamp and motorized table
	Meridian (Switzerland)	780010	Meridian MRQ _SLT fullyintegrated ND:YAG Laser (1064nm) and SLT (532nm) w/ LED slit lamp with 5x magnification changer.
	Meridian (Switzerland)	240438	Meridian Twin Column table with table top (100x44mm), motorised height adjustable, 2 columns, wheelchair accessible
		780020	Twin Column Table 230V/50Hz, table top 100x44cm. Motorised height adjustable, 4 wheels, wheelchair accessible
		780035	Single Column Table 230V/50Hz, table top 56x44cm. Motorised height adjustable, 4 wheels, wheelchair accessible, small table top (ideal for limited space)
	OptoTek (Slovenia)	OptoYag M	OptoTek ND:YAG laser with 0.5-10 mJ energy levels, LED slitlamp and motorized table.
Cyclophoto Coag. Laser			
	Meridian (Switzerland)	100491	Meridian Merilas 532a green laser photocoagulator with slit lamp, indirect ophthalmoscope and motorized table
	Meridian (Switzerland)	100557	Meridian Merilas 533a short pulse green laser photocoagulator with slit lamp and motorized table
	Norlase (Denmark)	LEAF	Norlase Leaf green FEAT 520nm is an ultra-compact photocoagulator laser design system with slitlamp and motorized table.
	Norlase (Denmark)	LION	Laser systems with the control tablet and Footpedal. Carry case not included.
	Norlase (Denmark)	ECHO	Laser systems with pattern and microsec laser treatment option, control tablet and footpedal with slitlamp and motorized table. Carry case not included.
Fundus Camera			
	CrystalVue (Taiwan)	NFC-700 CTV/700-C1101-001	Fully automated Non-Mydriatic Retinal Camera with 3D tracking and 10.1" touch screen
	Remidio FOP	NM-10	Remidio Fundus on Phone fundus camera w/ table top chinrest system and carrying case



MOC Optomedic, Inc.

An affiliate of Mandarin Opto-Medic Co., Pte. Ltd. (Singapore)

Unit 209-210 Richmack Bldg., 72 Mindanao Ave., Project 6, Quezon City, Metro Manila 1100 Philippines

Telephone numbers: +63917-7067963, +632-8710-3639/8710-3652 Fax number +632-7903-5124

PRODUCT LIST			
ITEM	BRAND	MODEL NUMBER	DESCRIPTION
	Remidio (India)	REM/CHINREST	Remidio Portable Chinrest Assy in Backpack Bag
Non-contact Tonometer			
	CrystalVue (Taiwan)	TonoVue	Automatic non-contact soft air puff tonometer with intelligent 3D tracking system system that minimizes fixation issues during IOP measurements. It also has Compensated IOP measurement by entering the CCT values for more accurate reading.
	CrystalVue (Taiwan)	TonoVue P	Automatic non-contact soft air puff tonometer with intelligent 3D tracking system and Pachymeter for efficient and accurate IOP measurements.
Electrophysiology Machine			
	Diopsys (USA)	Argos	Diopsys is an objective vision testing system to aid in the early detection of visual disorders and patient management through Pattern Electroretinograph (PERG), Full Field Electroretinograph (ffERG) and Visual Evoked Potential (VEP) testing. (table top*)
	Diopsys (USA)	Nova	Diopsys is an objective vision testing system to aid in the early detection of visual disorders and patient management through Pattern Electroretinograph (PERG), Full Field Electroretinograph (ffERG) and Visual Evoked Potential (VEP) testing with cart system.
	CONSUMABLES	6020-0001-01 Rev 1	Diopsys Hypoallergenic EEG Electrodes (Sensor) 300pcs./pouch
	CONSUMABLES	6020-0002-01 Rev 2	Diopsys EEG Electrode (Sensor) 600pcs./pouch
	CONSUMABLES	6020-0004-01	Diopsys ERG Lid Electrode (Sensor), 10 pouch/box
	CONSUMABLES	6020-0001-00 Rev 0	Diopsys EEG Electrode (Sensor) 100pcs./pouch
	CONSUMABLES	6020-0010-00	Diopsys Braided ERG Lead Wire Sets x 3
	CONSUMABLES	6020-0011-00	Diopsys Braided EEG/ VEP Snap Lead Wire Set 48"
	CONSUMABLES	6010-0001-01	Diopsys NuPrep EEG Prepping Gel, 4 oz tubes (3 Tubes/pk)
	CONSUMABLES	6010-0001-01.L	Diopsys NuPrep EEG Prepping Gel, 4 oz tubes (Single Tube)
	CONSUMABLES	6010-0002-01.L	Diopsys Ten20 Conductive EEG Paste, 4 oz tubes (Single Tube)
	LKC Tech (USA)	92-078 Complete	RETeval handheld visual electrodiagnostic system
	CONSUMABLES	92-078 Flicker	RETeval handheld flicker electroretinograph unit
	CONSUMABLES	95-068	RETeval sensor strip electrodes, 1 bx x 50's
Perimetry Machine			
	Optopol (Poland)	PTS-920	Optopol automated perimetry machine
	Optopol (Poland)	PTS-920 BY	Optopol automated perimetry machine with 160deg. Horizontal, 100 deg. Vertical range.
	Optopol (Poland)	PTS-925 W	Optopol automated perimetry machine with 170deg. Horizontal, 95 deg. Vertical range
	Optopol (Poland)	PTS-2000	Optopol automated perimetry machine with 180deg. Horizontal, 130 deg. Vertical range
	Virtual Vision Health (USA)	VRV/Elite	Virtual Eye Elite (VV-002) perimetry device systems indicated for assessing visual fields and the functional health of the eye in clinical eye care.



MOC Optomedic, Inc.

An affiliate of Mandarin Opto-Medic Co., Pte. Ltd. (Singapore)

Unit 209-210 Richmack Bldg., 72 Mindanao Ave., Project 6, Quezon City, Metro Manila 1100 Philippines

Telephone numbers: +63917-7067963, +632-8710-3639/8710-3652 Fax number +632-7903-5124

PRODUCT LIST			
ITEM	BRAND	MODEL NUMBER	DESCRIPTION
	Virtual Vision Health (USA)	VRV/Neo3-Pro	Virtual Neo3 Pro Eye (VV-003)perimetry device systems indicated for assessing visual fields and the functional health of the eye in clinical eye care with Tobii eye tracking.
Ant. Segment all in one machine			
	Visionix		Auto Ref/K, Topo, Aberrometer, Pachymeter, Tonometer
Topography / Aberrometer Combined Machine			
	Ziemer AG (Switzerland)	Galilei 6	All in one high definition topography, anterior segment tomography and optical biometry
	Tracey Technology USA	iTrace w/oPC or Laptop	A wavefront aberrometer, corneal topographer & auto-refractometer. Through Ray Tracing it provides a dynamic measurement & analysis of the Cornea, Crystalline Lens and the total refractive status of the eye.
Topography Machine			
	Medmont (Australia)	Meridia Classic	Medmont Meridia Classic Advanced Topographer; a placido type Corneal Topographer with 32 rings and 15, 120 measurement points
	Medmont (Australia)	PN003235Av1.0.4	Medmont Meridia Advanced Topographer Professional; a placido type Corneal Topographer with 32 rings and 15,120 measurement points with anterior fluorscein staining and meibomian gland imaging & videos. Capable of pupil size measurement.
SURGICAL / OPERATING ROOM			
Operating Table			
	Ganga Ophthocare (India)	OT-43	Go-OT43 is an ophthalmic mobile operating table stainless steel for easy transportation of patients with footswitch and hand control operated.
	Ganga Ophthocare (India)	OT-43T	Go-OT43 is ophthalmic mobile operating table stainless steel for easy transportation of patients with footswitch and hand control operated and a battery back-up.
Autoclave machine			
	Melag (Germany)	Vacuklav 41B+	Melag steam sterilizer with 35cm chamber depth
	Remidio (India)	MRD-10	Remidio Microscopic Recording Device enables 4K resolution and 60 FPS recording using high resolution optics and artificial intelligence on an iPhone XR. It is also a wireless data transfer and live broadcast.
REFRACTIVE LASER			
Excimer/Femtosecond Laser			
	Excelsius Medical (GmbH) Germany	Micron M7	Excelsius excimer laser with Fractal parallel scanning system and 700Hz ablation rate.
	Ziemer AG (Switzerland)	510.003.008	The Ziemer LDV Z8 Femtosecond laser is the first real mobile femtosecond laser for corneal and cataract surgery. An innovative and versatile femtosecond workstation designed for seamless integration into the center's workflow.
	Ziemer	510.700.019	Procedure Pack for Cataract (box of 10)
	Ziemer	510.700.014	Procedure Pack for Corneal Surgery (box of 10)
	Ziemer	510.931.105	Product Information Binder
	Ziemer	510.700.021	Procedure Pack for Corneal Surgery ø 9.0 SLIM (box of 10)
	Ziemer	510.700.022	Procedure Pack for Corneal Surgery ø 9.5 SLIM (box of 10)



MOC Optomedic, Inc.

An affiliate of Mandarin Opto-Medic Co., Pte. Ltd. (Singapore)

Unit 209-210 Richmack Bldg., 72 Mindanao Ave., Project 6, Quezon City, Metro Manila 1100 Philippines

Telephone numbers: +63917-7067963, +632-8710-3639/8710-3652 Fax number +632-7903-5124

PRODUCT LIST

ITEM	BRAND	MODEL NUMBER	DESCRIPTION
	Ziemer	510.700.023	Procedure Pack for Corneal Surgery ø 10.0 SLIM (box of 10)
	Ziemer		Annual service contract
	Excelsius Medical	Femton F1	Excelsius ophthalmic femtosecond laser
OPTICAL LABORATORY			
Lens Edger			
	Dia (Japan)	E1000-P	Dia automatic lens edger with Polishing & Safety-Beveling wheel
	Dia (Japan)	E1000-GP	Dia automatic lens edger with Grooving, Safety-Beveling and Polishing
	Dia (Japan)	E1000-GP2	Dia automatic lens edger with Grooving, Safety-Beveling and Polishing, 2nd Wider Bevel
	Dia (Japan)	E1000-GP3	Dia automatic lens edger with Grooving, Safety-Beveling and Polishing, 2nd Wrap Sunglass Bevel
	Dia (Japan)	920+P	Dia automatic lens edger, Set of E90+P Lens Edger with Exclusive Dual Eyeware Tracer and Polishing
	Dia (Japan)	e610 T	Dia Automatic Lens Edger with Pump & Tank
	Dia (Japan)	PM-8	Dia Auto Pattern Maker
	Dia (Japan)	LS-3E	Dia Layout Marker
	Dia (Japan)	AG-5EX	Dia Auto Groover
	Dia (Japan)	NH-32WV	Dia Hand Edger with bevel wheel 32mm
	Dia (Japan)	AG-5EX	Dia auto groover
	Dia (Japan)	AP-2	Dia Auto Polisher
	Dia (Japan)	NH-22V	Dia Hand Edger with Bevel wheel
	Dia (Japan)	NH-32WV	Dia Hand Edger with Bevel Wheel 32mm
	Dia (Japan)	FD-80	Dia Frame Scanner
	Dia (Japan)	LS-82D	Dia Lens Blocker with new LED Lighted & magnified screen
	Dia (Japan)	MR-302	Dia System Rack (optional accessory, stores FD80 & LS82
	Dia (Japan)	SD-1	Dia Signal distributor
	Dia (Japan)	FD-106	Dia bar code scanner
	Dia (Japan)	WA-80	Dia Direct Water Connection Kit
	Essilor (France)	Delta 200	Essilor Delta-II (classic) - 3 wheel automatic edging machine
	Essilor (France)	Delta 200 (M16775)	Delta 2 G/C 3 wheel automatic edging machine
	Essilor (France)	Delta 200 (M16772)	Delta 2 G/C 4 wheel automatic edging machine
	Essilor (France)	Delta 300 (M16785)	Essilor Delta-III (Drill) - 3 wheel automatic edging machine
	Essilor (France)	Delta 300 (M16782)	Essilor Delta-III (Drill) - 4 wheel automatic edging machine
	Essilor (France)	Neksia	Neksia fully automatic edging machine
	Essilor (France)	Tess Tracer (L12031)	Pattern less frame sizing and shaping
	Essilor (France)	M24S09	Essilor Spray Control Subassembly BAC
	Essilor (France)	M05S50	Water pump
	Essilor (France)	ESS/CX3026	Essilor roughing wheel, plastic lens 15mm
	Essilor (France)	LBRBSC	Essilor basic parts installation fee
	Essilor (France)	N96S62	Rubber boot
	Huvitz	HPE410-CBK	Excelon automatic edging machine with built in frame tracer
	Supore (China)	LE-310P	Supore Auto Edger with Pump and Tank
	Supore (China)	LE-320P	Supore automatic edging machine
	Supore (China)	LE-400	Supore Auto Edger with Pump and Tank
	Supore (China)	LE-520	Supore automatic edging machine
	Supore (China)	LE-620	Supore Auto Edger with Pump and Tank



MOC Optomedic, Inc.

An affiliate of Mandarin Opto-Medic Co., Pte. Ltd. (Singapore)

Unit 209-210 Richmack Bldg., 72 Mindanao Ave., Project 6, Quezon City, Metro Manila 1100 Philippines

Telephone numbers: +63917-7067963, +632-8710-3639/8710-3652 Fax number +632-7903-5124

PRODUCT LIST			
ITEM	BRAND	MODEL NUMBER	DESCRIPTION
	Supore (China)	ALE-1000+ST-1200	Supore patternless automatic edging machine w/ ST-1200 Lens scanner and blocker
	Supore (China)	ALE-1200G+ST-1200PLUS	Supore automatic lens edger 3D w/ ST-1200Plus Auto lens scanner and blocker
	Optron (China)	AE-1600G	Optron 3D automatic lens edger w/ built-in lens scanner, blocker and automatic tracer
	Supore (China)	ST-1200	Supore automatic lens scanner
	Supore (China)	ST-1200 Plus	Supore automatic lens scanner
	Supore (China)	LS-93C	Supore Pattern maker
	Optron (China)	ALE-600	Optron patternless automatic edging machine w/ FC600 Tracer Center & FE600 auto lens edger
	Optron (China)	NCE-35WV	Optron New Century hand edger w/ bevel wheel
Driller			
	Dia (Japan)	DM-3	Dia Drilling machine
	Dia (Japan)	DM-50	Dia Auto Drilling Machine
	Supore (China)	CD-93A	Supore Lens driller
Ultrasonic Cleaner			
	Elma Schmidbauer	ELM/1005507	Elmasonic S10 ultrasonic cleaner with cover, 0.80 Liter
	Cody (China)	CHN/CD-4810	Cody Digital Ultrasonic Cleaner
Frame Heater			
	Otto (Germany)	OTT/360-26	Otto Aldinger Ventillete MOD-3 Frame Heater, 230V-450W